

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	11	((BRIAN) near2 (HULSE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/02 16:46
S3	8	((BRIAN) near2 (HULSE)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/10/02 16:46
S4	1	((PHILIP) near2 (ROWLEY)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/02 16:46
S5	2	((PHILIP) near2 (ROWLEY)). INV.	EPO; JPO; DERWENT	OR	OFF	2008/10/02 16:46
S6	59	((CHRISTOPHER) near2 (SHARP)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/02 16:46
S7	33	((CHRISTOPHER) near2 (SHARP)).INV.	EPO; JPO; DERWENT	OR	OFF	2008/10/02 16:46
S8	79766	(INTERNATIONAL BUSINESS MACHINES).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:47
S9	9360	709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:47
S10	28581442	(@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:48
S11	8147	S10 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:49
S12	1213	S9 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:49
S13	6290	709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:49

S14	5324	S13 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:49
S15	966	S13 not S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:49
S16	106	Web adj service\$1 adj gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:49
S17	10457	(gateway or router) and (client or user) and ((web near5 service) or website) and @ad<="20040325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:49
S18	3602	S17 and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:49
S19	2464	S18 and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:49
S20	147	S19 and document and 709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:50
S21	2831	(profile\$1 document\$1 WSDL) and (@ad<="20040325" @rlad<="20040325") and (client or user) and (enabl\$3 or enter\$3 or access\$3) and (web adj service\$1) and request\$3 and (gateway or router or hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S22	79	((web adj service) near5 gateway) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51

S23	7024	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and (@ad<="20040325" @rlad<="20040325") and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S24	69	(gateway or (web adj service)) and (profile or id) and ((web adj client) or user) and (@ad<="20040325" @rlad<="20040325") and (auto adj generation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S25	2	gateway near5 enable\$3 near5 client near5 (web adj service) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S26	81	(gateway near5 enable\$3 near5 client) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S27	59	(gateway near5 enable\$3 near5 client) and (@ad<="20040325" @rlad<="20040325") and (profile or (id or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S28	657	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S29	289	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S30	24	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or router) and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S31	33	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or server) and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51

S32	33	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or server) and (web adj client) and (enabl\$3 or access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S33	33	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and (gateway or server) and (web adj client) and (enabl\$3 or access\$3) and (creat\$3 or receiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S34	64	profile and gateway and client and (web adj service) and document and WSDL and UDDI and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S35	181	(receiv\$3 near5 (profile or (ID or identification))) and gateway and (web adj service) and document and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S36	188	(web adj service) and gateway and (web adj client) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S37	451	UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S38	239	(UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and conver\$4) and (match or equal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S39	42	(UDDI and WSDL and (@ad<="20040325" @rlad<="20040325") and conver\$4) and (match or equal) same (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S40	155	(trigger or activate or produce) and WSDL and UDDI and (third adj party) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51

S41	224	(trigger same request\$3) and (web adj service\$1) and (third adj party) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S42	186	(creat\$3 near3 document near3 profile) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:51
S43	21	(gateway near5 enable\$3 near5 client) and (@ad<="20040325" @rlad<="20040325") and (profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S44	105	(gateway) and (@ad<="20040325" @rlad<="20040325") and (profile) and WSDL and XML and UDDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S45	500	(@ad<="20040325" @rlad<="20040325") and ((web adj service\$1) same enabl\$3 same client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S46	195	((b2b or business-to-business) same conver\$4) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S47	3	((b2b or business-to-business) with conver\$4) and wsdl and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S48	42	((b2b or business-to-business) and conver\$4 and profile\$1) and (wsdl same (web adj service\$1)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S49	57	((b2b or business-to-business) and profile) and protocol\$1 and wsdl and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51

S50	172	(profile same creat\$3 same (document or WSDL)) and (communication near4 protocol \$1) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S51	350	((profile or (communication near4 protocol\$1)) with creat\$3 with (document or WSDL)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S52	13	((communication near4 protocol \$1) with creat\$3 with (document or WSDL)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S53	20	((access\$3 near2 web near2 service) same (web adj client)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S54	12	(creat\$3 same document same based same(communication adj protocols)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S55	2	(e-business) and (b2b with profile) and (b2b with service) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S56	45	(e-business) and (profile same (web with service)) and (@ad<="20040325" @rlad<="20040325")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S57	2	b2b adj profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S58	317	(access\$3 same (web adj service) same (gateway or router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51

S59	18	(access\$3 same (web adj service) same (gateway or router)) and (business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S60	16	(access\$3 same (web adj service) same gateway) and (business adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S61	208	(web adj service) near5 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S62	1345	UDDI and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S63	1026	profile and gateway and client and (web adj service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S64	808	profile and gateway and client and (web adj service) and document	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S65	235	profile and gateway and client and (web adj service) and document and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S66	127	profile and gateway and client and (web adj service) and document and WSDL and UDDI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S67	522	(INTERNATIONAL BUSINESS MACHINES).as. and (web adj client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:51

S68	191	(INTERNATIONAL BUSINESS MACHINES).as. and (web adj client) and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:51
S69	25	(INTERNATIONAL BUSINESS MACHINES).as. and (web adj client) and gateway and profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/02 16:51
S70	1345	UDDI and WSDL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S71	498	access adj web adj service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S72	60	(trigger or activate or produce) and WSDL and UDDI and (match same request\$3) and convert	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S73	335	(trigger or activate or produce) and WSDL and UDDI and (third adj party)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S74	6190	(b2b or business-to-business)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S75	254	((b2b or business-to-business) same conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 16:51
S76	425	(web adj service) near5 (gateway server) near10 (RNI F HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:54

S77	229	S76 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:54
S78	1	((web adj client) same (RNIF HTTP) same (channel near3 address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:55
S79	1	((web adj client) same (RNIF HTTP) same (convert\$3 near4 request\$3) same (web adj service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:56
S80	1	((B2B (business-to-business) near2 profile) same ((RNIF HTTP) near5 (address)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:57
S81	0	((B2B (business-to-business) near2 profile) same ((RNIF HTTP) with (detail\$1 near3 (information data))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:58
S82	1	((B2B (business-to-business) near2 profile) same ((RNIF HTTP)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:58
S83	52	((WSDL same (web adj service)) same profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:59
S84	23	S83 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/02 16:59
S85	2	((WSDL near10 (format\$4 near4 recogniz\$4)) same (client user (web adj client)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 13:04

S86	62	((RNI F RosettaNet) same ((web adj service) b2b)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 13:31
S87	40	((@ad<="20040325" @rlad<="20040325") and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 13:31
S88	5496	709/219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:29
S89	4863	((@ad<="20040325" @rlad<="20040325") and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:29
S90	633	S88 not S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:29
S91	70	S88 and (wsdl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:30
S92	47	((@ad<="20040325" @rlad<="20040325") and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:32
S93	9	((profile or (communication near4 protocol\$1)) with creat\$3 with (document or WSDL)) and (@ad<="20040325" @rlad<="20040325") and 709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:40
S94	34	profile and gateway and client and (web adj service) and document and 709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:40

S95	6	(web adj service) near5 (gateway server) near10 (RNIF HTTP) and 709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/03 14:40
S96	2174	709/246.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:26
S97	1918	(@ad<="20040325" @rlad<="20040325") and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:27
S98	256	S96 not S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:27
S99	92	S97 and (web adj services)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:27
S100	74	S99 and (RNIF HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:27
S101	5	(channel adj address) near10 profile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:32
S102	0	S97 and ((web adj services) near10 (profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 16:32

10/ 7/ 2008 4:34:58 PM

C:\Documents and Settings\bnissan\My Documents\EAST\Workspaces\10552393.wsp